ELSEVIER

Forensic Science International 128 (2002) 207–211

Forensic Science International

www.elsevier.com/locate/forsciint

Subject index

Volume 128 (2002)

Abortion; Induced criminal pregnancy, Fetus **128**, 141

Acetone; Glycated hemoglobin, Diabetes, Fatal cases, Forensic medicine **128**, 44

Africa; Metal, Toxicity, Traditional remedy **128**, 123

Air bag; Motor vehicle, Injury, Forensic autopsy **128**, 162

Alcohol abuse; Carbohydrate deficient transferrin, CDT, Capillary electrophoresis, Immunoassay **128**, 53

Alcohol; Forensic medicine, Death certificate, Manner of death, Classification, Autopsy, Suicide, Undetermined manner of death, Alcoholism **128**, 136

Alcoholism; Forensic medicine, Death certificate, Manner of death, Classification, Autopsy, Suicide, Undetermined manner of death, Alcohol **128**, 136

Aluminum; Poisoning, Subacute, Haemodialysis, Post-mortem, Metals, Toxicity **128**, 41

Amphetamine; Dimethylamphetamine, Dimethylamphetamine N-oxide, Methamphetamine, LC–MS **128**, 146

Amphetamine; MDEA, MDMA, Methamphetamine, Death **128**, 31

Anaesthetic; Enflurane, Driving under influence (DUI), Volatiles, Drug abuse, Traffic safety **128**, 187

Analytical performance; External quality assurance, Data interpretation **128**, 98

Antemortem; Gamma-hydroxybutyric acid, Endogenous, GC–MS **128**, 120

Apnea; Sudden infant death (SID), Bradycardia, Asymmetry, Flush, Vertebral artery, Gasping, Prone position, Prone position intolerance (PPI), Kinematic imbalance due to suboccipital strain (KISS) **128**, 168

Asymmetry; Sudden infant death (SID), Bradycardia, Apnea, Flush, Vertebral artery, Gasping, Prone position, Prone position intolerance (PPI), Kinematic imbalance due to suboccipital strain (KISS) **128**, 168

Atropine; Poisoning with hallucinogens, Scopolamine, Harmine, Toxicology **128**, 50

Autopsy; Forensic medicine, Death certificate, Manner of death, Classification, Suicide, Undetermined manner of death, Alcohol, Alcoholism **128**, 136

Benzodiazepines; Bromazepam, Time-of-flight mass spectrometry (TOF-MS), Quantitation, GC–MS, GC–ECD, HPLC-DAD **128**, 84

Bile; Drugs, Postmortem **128**, 35

Bone bruises; Traffic accidents, Pedestrian victims, Mechanism of injury, Reconstruction of accident **128**, 127

Bradycardia; Sudden infant death (SID), Apnea, Asymmetry, Flush, Vertebral artery, Gasping, Prone position, Prone position intolerance (PPI), Kinematic imbalance due to suboccipital strain (KISS) **128**, 168

Bromazepam; Benzodiazepines, Time-of-flight mass spectrometry (TOF-MS), Quantitation, GC–MS, GC–ECD, HPLC-DAD **128**, 84

Cannabinoids; Hair analysis, Δ^9-THC-COOH, Drugs of abuse **128**, 66

Capillary electrophoresis; Carbohydrate deficient transferrin, CDT, Alcohol abuse, Immunoassay **128**, 53

Carbohydrate deficient transferrin; CDT, Capillary electrophoresis, Alcohol abuse, Immunoassay **128**, 53

CDT; Carbohydrate deficient transferrin, Capillary electrophoresis, Alcohol abuse, Immunoassay **128**, 53

Chhattisgarh; Forensic science, Population studies, DNA typing, Polymorphism, Short tandem repeat, Combined DNA index system (CODIS) **128**, 196

Classification; Forensic medicine, Death certificate, Manner of death, Autopsy, Suicide, Undetermined manner of death, Alcohol, Alcoholism **128**, 136

Clinical trials; DNA, Statistics **128**, 183

PII: S0379-0738(02)00265-7

Cocaine; Interlaboratory comparison, Method evaluation, Hair analysis, Opiates **128**, 79

Combined DNA index system (CODIS); Forensic science, Population studies, Chhattisgarh, DNA typing, Polymorphism, Short tandem repeat **128**, 196

Controlled study; MDMA, Oral fluid, Sweat, Driving under the influence, LC-MS/MS **128**, 90

Cremated human corpse; Heat-induced artefact, Thermal fractures of the skull **128**, 159

Data interpretation; External quality assurance, Analytical performance **128**, 98

Death certificate; Forensic medicine, Manner of death, Classification, Autopsy, Suicide, Undetermined manner of death, Alcohol, Alcoholism **128**, 136

Death; Amphetamine, MDEA, MDMA, Methamphetamine **128**, 31

Development time; *Protophormia terraenovae*, Forensic entomology, Post-mortem interval **128**, 177

Diabetes; Acetone, Glycated hemoglobin, Fatal cases, Forensic medicine **128**, 44

Dimethylamphetamine N-oxide; Dimethylamphetamine, Methamphetamine, Amphetamine, LC–MS **128**, 146

Dimethylamphetamine; Dimethylamphetamine N-oxide, Methamphetamine, Amphetamine, LC–MS **128**, 146

Discriminant analysis; Talus, New Zealand Polynesians, Sex assessment **128**, 155

DNA mixture; Paternity index, Mixture distribution **128**, 105

DNA profiling; Forensic science, Probability, Statistics, Identification, Likelihood ratio **128**, 108

DNA typing; Forensic science, Population studies, Chhattisgarh, Polymorphism, Short tandem repeat, Combined DNA index system (CODIS) **128**, 196

DNA; Statistics, Clinical trials **128**, 183

Driving under influence (DUI); Enflurane, Anaesthetic, Volatiles, Drug abuse, Traffic safety **128**, 187

Driving under the influence; MDMA, Controlled study, Oral fluid, Sweat, LC-MS/MS **128**, 90

Drug abuse-related deaths; Fatal poisoning, Volatile substance abuse-related deaths, International Classification of Diseases: Fatal poisoning **128**, 3

Drug abuse; Enflurane, Driving under influence (DUI), Anaesthetic, Volatiles, Traffic safety **128**, 187

Drug abuse; In utero drug exposure, Fetal drug exposure, Maternal drug use **128**, 20

Drugs of abuse; Hair analysis, Cannabinoids, Δ^9-THC-COOH **128**, 66

Drugs; Bile, Postmortem **128**, 35

Endogenous; Gamma-hydroxybutyric acid, Antemortem, GC–MS **128**, 120

Enflurane; Driving under influence (DUI), Anaesthetic, Volatiles, Drug abuse, Traffic safety **128**, 187

Ethanol; HS-SPME, Postmortem specimens **128**, 115

Ethyl glucuronide; LC–MS/MS, Hair **128**, 59

External quality assurance; Analytical performance, Data interpretation **128**, 98

Fatal cases; Acetone, Glycated hemoglobin, Diabetes, Forensic medicine **128**, 44

Fatal poisoning; Drug abuse-related deaths, Volatile substance abuse-related deaths, International Classification of Diseases: Fatal poisoning **128**, 3

Fetal drug exposure; Drug abuse, In utero drug exposure, Maternal drug use **128**, 20

Fetus; Abortion, Induced criminal pregnancy **128**, 141

Flush; Sudden infant death (SID), Bradycardia, Apnea, Asymmetry, Vertebral artery, Gasping, Prone position, Prone position intolerance (PPI), Kinematic imbalance due to suboccipital strain (KISS) **128**, 168

Forensic autopsy; Air bag, Motor vehicle, Injury **128**, 162

Forensic entomology; *Protophormia terraenovae*, Post-mortem interval, Development time **128**, 177

Forensic medicine; Acetone, Glycated hemoglobin, Diabetes, Fatal cases **128**, 44

Forensic medicine; Death certificate, Manner of death, Classification, Autopsy, Suicide, Undetermined manner of death, Alcohol, Alcoholism **128**, 136

Forensic science; DNA profiling, Probability, Statistics, Identification, Likelihood ratio **128**, 108

Forensic science; Population studies, Chhattisgarh, DNA typing, Polymorphism, Short tandem repeat, Combined DNA index system (CODIS) **128**, 196

Gamma-hydroxybutyric acid; Endogenous, Antemortem, GC–MS **128**, 120

Gasping; Sudden infant death (SID), Bradycardia, Apnea, Asymmetry, Flush, Vertebral artery, Prone position, Prone position intolerance (PPI), Kinematic imbalance due to suboccipital strain (KISS) **128**, 168

GC–ECD; Bromazepam, Benzodiazepines, Time-of-flight mass spectrometry (TOF-MS), Quantitation, GC–MS, HPLC-DAD **128**, 84

GC–MS; Bromazepam, Benzodiazepines, Time-of-flight mass spectrometry (TOF-MS), Quantitation, GC–ECD, HPLC-DAD **128**, 84

GC–MS; Gamma-hydroxybutyric acid, Endogenous, Antemortem **128**, 120

Genomic diversity; UP populations, Short tandem repeat, Tetranucleotide loci, Pentanucleotide loci **128**, 190

Glycated hemoglobin; Acetone, Diabetes, Fatal cases, Forensic medicine **128**, 44

Haemodialysis; Aluminum, Poisoning, Subacute, Post-mortem, Metals, Toxicity **128**, 41

Hair analysis; Cannabinoids, Δ^9-THC-COOH, Drugs of abuse **128**, 66

Hair analysis; Interlaboratory comparison, Method evaluation, Opiates, Cocaine **128**, 79

Hair; Ethyl glucuronide, LC–MS/MS **128**, 59

Harmine; Poisoning with hallucinogens, Atropine, Scopolamine, Toxicology **128**, 50

Heat-induced artefact; Cremated human corpse, Thermal fractures of the skull **128**, 159

HPLC-DAD; Bromazepam, Benzodiazepines, Time-of-flight mass spectrometry (TOF-MS), Quantitation, GC–MS, GC–ECD **128**, 84

HS-SPME; Ethanol, Postmortem specimens **128**, 115

Identification; Forensic science, DNA profiling, Probability, Statistics, Likelihood ratio **128**, 108

Immunoassay; Carbohydrate deficient transferrin, CDT, Capillary electrophoresis, Alcohol abuse **128**, 53

In utero drug exposure; Drug abuse, Fetal drug exposure, Maternal drug use **128**, 20

Induced criminal pregnancy; Abortion, Fetus **128**, 141

Injury; Air bag, Motor vehicle, Forensic autopsy **128**, 162

Interlaboratory comparison; Method evaluation, Hair analysis, Opiates, Cocaine **128**, 79

International Classification of Diseases: Fatal poisoning; Fatal poisoning, Drug abuse-related deaths, Volatile substance abuse-related deaths **128**, 3

Kinematic imbalance due to suboccipital strain (KISS); Sudden infant death (SID), Bradycardia, Apnea, Asymmetry, Flush, Vertebral artery, Gasping, Prone position, Prone position intolerance (PPI) **128**, 168

LC–MS/MS; Ethyl glucuronide, Hair **128**, 59

LC–MS; Dimethylamphetamine, Dimethylamphetamine N-oxide, Methamphetamine, Amphetamine **128**, 146

LC-MS/MS; MDMA, Controlled study, Oral fluid, Sweat, Driving under the influence **128**, 90

Likelihood ratio; Forensic science, DNA profiling, Probability, Statistics, Identification **128**, 108

Manner of death; Forensic medicine, Death certificate, Classification, Autopsy, Suicide, Undetermined manner of death, Alcohol, Alcoholism **128**, 136

Maternal drug use; Drug abuse, In utero drug exposure, Fetal drug exposure **128**, 20

MDEA; Amphetamine, MDMA, Methamphetamine, Death **128**, 31

MDMA; Amphetamine, MDEA, Methamphetamine, Death **128**, 31

MDMA; Controlled study, Oral fluid, Sweat, Driving under the influence, LC-MS/MS **128**, 90

Mechanism of injury; Traffic accidents, Pedestrian victims, Reconstruction of accident, Bone bruises **128**, 127

Metal; Toxicity, Traditional remedy, Africa **128**, 123

Metals; Aluminum, Poisoning, Subacute, Haemodialysis, Post-mortem, Toxicity **128**, 41

Methamphetamine; Amphetamine, MDEA, MDMA, Death **128**, 31

Methamphetamine; Dimethylamphetamine, Dimethylamphetamine N-oxide, Amphetamine, LC–MS **128**, 146

Method evaluation; Interlaboratory comparison, Hair analysis, Opiates, Cocaine **128**, 79

Mixture distribution; Paternity index, DNA mixture **128**, 105

Motor vehicle; Air bag, Injury, Forensic autopsy **128**, 162

New Zealand Polynesians; Talus, Discriminant analysis, Sex assessment **128**, 155

Opiates; Interlaboratory comparison, Method evaluation, Hair analysis, Cocaine **128**, 79

Oral fluid; MDMA, Controlled study, Sweat, Driving under the influence, LC-MS/MS **128**, 90

Paternity index; DNA mixture, Mixture distribution **128**, 105

Pedestrian victims; Traffic accidents, Mechanism of injury, Reconstruction of accident, Bone bruises **128**, 127

Pentanucleotide loci; UP populations, Short tandem repeat, Genomic diversity, Tetranucleotide loci **128**, 190

Poisoning with hallucinogens; Atropine, Scopolamine, Harmine, Toxicology **128**, 50

Poisoning; Aluminum, Subacute, Haemodialysis, Post-mortem, Metals, Toxicity **128**, 41

Polymorphism; Forensic science, Population studies, Chhattisgarh, DNA typing, Short tandem repeat, Combined DNA index system (CODIS) **128**, 196

Population studies; Forensic science, Chhattisgarh, DNA typing, Polymorphism, Short tandem repeat, Combined DNA index system (CODIS) **128**, 196

Post-mortem interval; *Protophormia terraenovae*, Forensic entomology, Development time **128**, 177

Post-mortem; Aluminum, Poisoning, Subacute, Haemodialysis, Metals, Toxicity **128**, 41

Postmortem specimens; HS-SPME, Ethanol **128**, 115

Postmortem; Bile, Drugs **128**, 35

Probability; Forensic science, DNA profiling, Statistics, Identification, Likelihood ratio **128**, 108

Prone position intolerance (PPI); Sudden infant death (SID), Bradycardia, Apnea, Asymmetry, Flush, Vertebral artery, Gasping, Prone position, Kinematic imbalance due to suboccipital strain (KISS) **128**, 168

Prone position; Sudden infant death (SID), Bradycardia, Apnea, Asymmetry, Flush, Vertebral artery, Gasping, Prone position intolerance (PPI), Kinematic imbalance due to suboccipital strain (KISS) **128**, 168

Protophormia terraenovae; Forensic entomology, Post-mortem interval, Development time **128**, 177

Quantitation; Bromazepam, Benzodiazepines, Time-of-flight mass spectrometry (TOF-MS), GC–MS, GC–ECD, HPLC-DAD **128**, 84

Reconstruction of accident; Traffic accidents, Pedestrian victims, Mechanism of injury, Bone bruises **128**, 127

Scopolamine; Poisoning with hallucinogens, Atropine, Harmine, Toxicology **128**, 50

Sex assessment; Talus, New Zealand Polynesians, Discriminant analysis **128**, 155

Short tandem repeat; Forensic science, Population studies, Chhattisgarh, DNA typing, Polymorphism, Combined DNA index system (CODIS) **128**, 196

Short tandem repeat; UP populations, Genomic diversity, Tetranucleotide loci, Pentanucleotide loci **128**, 190

Statistics; DNA, Clinical trials **128**, 183

Statistics; Forensic science, DNA profiling, Probability, Identification, Likelihood ratio **128**, 108

Subacute; Aluminum, Poisoning, Haemodialysis, Post-mortem, Metals, Toxicity **128**, 41

Sudden infant death (SID); Bradycardia, Apnea, Asymmetry, Flush, Vertebral artery, Gasping, Prone position, Prone position intolerance (PPI), Kinematic imbalance due to suboccipital strain (KISS) **128**, 168

Suicide; Forensic medicine, Death certificate, Manner of death, Classification, Autopsy, Undetermined manner of death, Alcohol, Alcoholism **128**, 136

Sweat; MDMA, Controlled study, Oral fluid, Driving under the influence, LC-MS/MS **128**, 90

Talus; New Zealand Polynesians, Discriminant analysis, Sex assessment **128**, 155

Tetranucleotide loci; UP populations, Short tandem repeat, Genomic diversity, Pentanucleotide loci **128**, 190

Δ^9-THC-COOH; Hair analysis, Cannabinoids, Drugs of abuse **128**, 66

Thermal fractures of the skull; Cremated human corpse, Heat-induced artefact **128**, 159

Time-of-flight mass spectrometry (TOF-MS); Bromazepam, Benzodiazepines, Quantitation, GC–MS, GC–ECD, HPLC-DAD **128**, 84

Toxicity; Aluminum, Poisoning, Subacute, Haemodialysis, Post-mortem, Metals **128**, 41

Toxicity; Metal, Traditional remedy, Africa **128**, 123

Toxicology; Poisoning with hallucinogens, Atropine, Scopolamine, Harmine **128**, 50

Traditional remedy; Metal, Toxicity, Africa **128**, 123

Traffic accidents; Pedestrian victims, Mechanism of injury, Reconstruction of accident, Bone bruises **128**, 127

Traffic safety; Enflurane, Driving under influence (DUI), Anaesthetic, Volatiles, Drug abuse **128**, 187

Undetermined manner of death; Forensic medicine, Death certificate, Manner of death, Classification, Autopsy, Suicide, Alcohol, Alcoholism **128**, 136

UP populations; Short tandem repeat, Genomic diversity, Tetranucleotide loci, Pentanucleotide loci **128**, 190

Vertebral artery; Sudden infant death (SID), Bradycardia, Apnea, Asymmetry, Flush, Gasping, Prone position, Prone position intolerance (PPI), Kinematic imbalance due to suboccipital strain (KISS) **128**, 168

Volatile substance abuse-related deaths; Fatal poisoning, Drug abuse-related deaths, International Classification of Diseases: Fatal poisoning **128**, 3

Volatiles; Enflurane, Driving under influence (DUI), Anaesthetic, Drug abuse, Traffic safety **128**, 187